



Item # _____

Job _____

SUPER ERECTA SHELF® WIRE SHELVING

- **Unique Design:** The open wire design of these shelves minimizes dust accumulation and allows free circulation of air, greater visibility of stored items and greater light penetration.
- **Durable Construction:** Super Erecta shelves and posts are constructed of heavy-gauge carbon steel or Type 304 stainless steel.
- **Choice of Finishes:** Super Erecta Brite™ and chrome-plated for dry storage; Metroseal 3™ with Microban® antimicrobial product protection and stainless steel for corrosive environments; and attractive epoxy color options for merchandising applications.
- **Versatile:** Super Erecta Shelf® wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible.
- **Fast, Secure Assembly:** SiteSelect™ Posts have a double groove visual guide feature every 8" (203mm), circular grooves at 1" (25mm) increments, and are numbered at 2" (50mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.
- **Adjustability:** Shelves can be adjusted at 1" (25mm) intervals along the entire length of the post.
- **Shelf Ribs:** Run front to back, allowing you to slide items on and off shelves smoothly.
- **Shelf Accessibility:** Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube.
- **Adjustable Feet:** Bolt levelers compensate for surface irregularities.

Note: Stainless stationary posts are equipped with stainless steel leveling feet.



*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.




InterMetro Industries Corporation
North Washington Street
Wilkes-Barre, PA 18705
www.metro.com



Wire Shelving

10-01

Wire Shelves



Split Sleeve



**Aluminum
Split Sleeve**

- **Metroseal 3:** Metro's proprietary epoxy coating contains Microban® antimicrobial product protection. Microban antimicrobial protects the epoxy coating from bacteria, mold, mildew, and fungus that cause odors, stains, and product degradation.
- See spec sheet 10.14 for epoxy color options.
- Plastic split sleeves are included with each shelf
Replacements are available: Cat. No. 9985 (bag of 4)
- Aluminum split sleeves are recommended for abusive mobile applications. Sleeves with stainless C-rings must be used for cart wash applications (exceeding 200°F/93°C) and for all autoclave applications.
Cat. No. 9986Z (bag of 4 with zinc C-rings)
Cat. No. 9986S (bag of 4 with stainless steel C-rings)
- Weight capacity (evenly distributed) per shelf
800 lbs. (363kg) for lengths of 18" to 48" (457 to 1219mm)
600 lbs. (272kg) for lengths of 54" (1370mm) or longer
- Weight capacity (evenly distributed) per unit.
Stationary shelving units have a maximum load capacity (evenly distributed) of 2,000 lbs. (907kg)
Mobile units have a maximum capacity of three times the caster load rating up to but not exceeding 1,000 lbs. (453kg) total. Consult the Metro catalog for caster load ratings

Model No. Super Erecta Brite	Model No. Chrome	Model No. Metroseal 3 with Microban®	Model No. Stainless	Nominal Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)
1424BR	1424NC	1424NK3	1424NS	14x24 355x610	6 2.7
1430BR	1430NC	1430NK3	1430NS	14x30 355x760	7 3.2
1436BR	1436NC	1436NK3	1436NS	14x36 355x914	8 3.6
1442BR	1442NC	1442NK3	1442NS	14x42 355x1066	9 1/2 4.3
1448BR	1448NC	1448NK3	1448NS	14x48 355x1219	10 1/2 4.7
1460BR	1460NC	1460NK3	1460NS	14x60 355x1524	14 6.3
1472BR	1472NC	1472NK3	1472NS	14x72 355x1829	17 7.7
1824BR	1824NC	1824NK3	1824NS	18x24 457x610	7 3.2
1830BR	1830NC	1830NK3	1830NS	18x30 457x760	8 3.6
1836BR	1836NC	1836NK3	1836NS	18x36 457x914	9 1/2 4.3
1842BR	1842NC	1842NK3	1842NS	18x42 457x1066	11 5.0
1848BR	1848NC	1848NK3	1848NS	18x48 457x1219	12 5.4
1854BR	1854NC	1854NK3	1854NS	18x54 457x1370	14 1/2 6.6
1860BR	1860NC	1860NK3	1860NS	18x60 457x1524	17 7.7
1872BR	1872NC	1872NK3	1872NS	18x72 457x1829	20 9.1
2124BR	2124NC	2124NK3	2124NS	21x24 530x610	8 3.6
2130BR	2130NC	2130NK3	2130NS	21x30 530x760	9 4.1
2136BR	2136NC	2136NK3	2136NS	21x36 530x914	11 5.0
2142BR	2142NC	2142NK3	2142NS	21x42 530x1066	12 5.4
2148BR	2148NC	2148NK3	2148NS	21x48 530x1219	14 6.4
2154BR	2154NC	2154NK3	2154NS	21x54 530x1370	16 7.3
2160BR	2160NC	2160NK3	2160NS	21x60 530x1524	18 8.2
2172BR	2172NC	2172NK3	2172NS	21x72 530x1829	24 10.9
2424BR	2424NC	2424NK3	2424NS	24x24 610x610	9 4.1
2430BR	2430NC	2430NK3	2430NS	24x30 610x760	11 5.0
2436BR	2436NC	2436NK3	2436NS	24x36 610x914	13 5.9
2442BR	2442NC	2442NK3	2442NS	24x42 610x1066	15 6.8
2448BR	2448NC	2448NK3	2448NS	24x48 610x1219	16 7.3
2454BR	2454NC	2454NK3	2454NS	24x54 610x1370	19 8.6
2460BR	2460NC	2460NK3	2460NS	24x60 610x1524	21 9.5
2472BR	2472NC	2472NK3	2472NS	24x72 610x1829	26 11.8

Note: 14" (355mm) deep units.

Free-standing units: Units taller than 63" (1600mm) must be properly fastened to the floor or wall using Metro foot plates or wall brackets.

Mobile units: maximum allowable post height is 54" (1370mm).

SiteSelect™ Posts

Stationary Posts

Stationary posts are equipped with a leveling bolt to account for uneven floors.

- Height includes leveling bolt (completely tightened) and post cap. Leveling bolt can be adjusted 1/2" (13mm).
- Foot plates may be ordered separately and installed in place of leveling foot.
- Replacement leveling bolts
Zinc Cat. No. RPF04-004 Stainless Steel Cat. No. RPF04-004C
- Replacement post cap for standard posts
Black Cat. No. RPC06-035

Model No. Chrome	Model No. Metroseal 3 with Microban	Model No. Stainless Steel	Height		Approx. Pkd. Wt.	
			(in.)	(mm)	(lbs.)	(kg)
7P	7PK3		7 ³ / ₈	187	1/2	0.3
13P	13PK3	13PS	14 ³ / ₈	365	1	0.5
27P	27PK3	27PS	28 ³ / ₈	720	1 ³ / ₄	0.75
33P	33PK3	33PS	34 ³ / ₈	873	2	0.9
54P	54PK3	54PS	54 ⁷ / ₁₆	1382	3	1.4
63P	63PK3	63PS	62 ⁷ / ₁₆	1585	3 ¹ / ₂	1.6
74P	74PK3	74PS	74 ¹ / ₂	1892	4	1.8
86P	86PK3	86PS	86 ¹ / ₂	2197	5	2.3
*96P			96 ¹ / ₂	2450	5 ¹ / ₂	2.5

*96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.



SiteSelect Posts feature double grooves every 8" (203mm) to aid assembly.




Stationary Post

Mobile Posts (For use with Stem Casters)

- Height includes post cap.

Model No. Chrome	Model No. Metroseal 3 with Microban	Model No. Stainless Steel	Height		Approx. Pkd. Wt.	
			(in.)	(mm)	(lbs.)	(kg)
13UP	13UPK3	13UPS	13 ³ / ₄	349	1	0.5
27UP		27UPS	27 ³ / ₄	704	1 ³ / ₄	0.75
33UP	33UPK3	33UPS	33 ³ / ₄	857	2	0.9
54UP	54UPK3	54UPS	53 ¹³ / ₁₆	1366	3	1.4
63UP	63UPK3	63UPS	61 ¹³ / ₁₆	1570	3 ¹ / ₂	1.6
	70UPK3		69 ³ / ₄	1771	3 ³ / ₄	1.7
74UP	74UPK3	74UPS	73 ⁷ / ₈	1876	4	1.8
86UP	86UPK3	86UPS	85 ⁷ / ₈	2181	4.5	2.0



Post for Stem Caster

Staked Posts (For use with Truck Dollies)

- Each post connects to the truck dolly through the stem receptacle. The stem receptacle is staked into the bottom of the post to ensure a durable connection in abusive mobile applications.
- Each includes a leveling/connecting bolt.

Model No. Chrome	Model No. Stainless Steel	Height		Approx. Pkd. Wt.	
		(in.)	(mm)	(lbs.)	(kg)
54P-STKD	54PS-STKD	54 ⁷ / ₁₆	1382	3	1.4
63P-STKD	63PS-STKD	62 ⁷ / ₁₆	1585	3 ¹ / ₂	1.6
74P-STKD	74PS-STKD	74 ¹ / ₂	1892	4	1.8




Staked Post

Swaged Posts (For use with Stem Casters in Cart Wash Applications)

- Each post has an aluminum cap swaged into the top of the post.

Model No. Stainless Steel	Height	Approx. Pkd. Wt.	
	(in.) (mm)	(lbs.)	(kg)
33UPS-SW	33 ³ / ₄ 857	2	0.9
54UPS-SW	53 ¹³ / ₁₆ 1366	3	1.4
63UPS-SW	61 ¹³ / ₁₆ 1570	3 ¹ / ₂	1.6



Swaged Post

Special Length Posts

Special length cut posts are available. Consult your Metro representative for more information.



SUPER ERECTA SHELF® WIRE SHELVING

Super Wide Shelving

- **High-density Storage:** Super Wide™ shelves have a greater storage area for holding large quantities of supplies, especially large, bulky objects, providing maximum storage in minimum space.
- **Load Capacity** (evenly distributed) per shelf:
 Depths: 30" and 36" (760 and 914mm)
 800 lbs. (363kg) for lengths 48" (1219mm) or shorter.
 600 lbs. (272kg) for lengths 54" (1370mm) or longer.



Model No. Chrome	Model No. Metroseal 3 with Microban	Model No. Stainless Steel	Nominal Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
3036NC	3036NK3	3036NS	30x36	760x914	15	6.8
3048NC	3048NK3	3048NS	30x48	760x1219	21	9.5
3060NC	3060NK3	3060NS	30x60	760x1524	26 1/2	11.8
3072NC	3072NK3	3072NS	30x72	760x1829	31	14.0
3636NC	3636NK3	3636NS	36x36	910x914	18	8.2
3648NC	3648NK3	3648NS	36x48	910x1219	23	10.4
3660NC	3660NK3	3660NS	36x60	910x1524	29	13.1
3672NC	3672NK3	3672NS	36x72	910x1829	34 1/2	15.4

Foot Plates

- Use to bolt units to the floor, or when a broader, more stable foot is desired. Foot plates also help to protect floors by distributing the point load of the shelving unit across a larger contact point.
- Foot plates (completely tightened) add 1/8" (3mm) to the specified heights of each stationary post on the table.
 Zinc Cat. No. 9993Z
 Stainless Steel Cat. No. 9993S



"S" Hook

- Used to add on shelving units with only two posts required. Order two per shelf level.
 Cat. No. 9995Z



All Metro Catalog Sheets are available on our website: www.metro.com



InterMetro Industries Corporation
 North Washington Street, Wilkes-Barre, PA 18705
 Phone: 570-825-2741
 Product Information. U.S. and Canada: 1.800.992.1776
 Outside U.S. and Canada: www.metro.com/contactus

L02-006e
 Printed in U.S.A. Rev. 1/15

Information and specifications are subject to change without notice. Please confirm at time of order

Copyright © 2015 InterMetro Industries Corp.



Shelving Starter and Add-On Units

Save time and money by eliminating adjacent posts and replacing with "S" hooks.

- **Starter Units** consist of four posts and indicated number of Super Erecta shelves.
- **Add-On Units** consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit.




Replacement "S" Hook
2 are required for each storage level.
Cat. No. **9995Z**

For additional wire shelves,
order from page 42.



Security "S" Hook
2 are required for each storage level.
Chrome. Cat. No. **H9995C**
Black. Cat. No. **H9995B**



Shelving Starter and Add-On Units — Easy Order Guide

4 Shelves 63" (1600mm) Posts (63P)		Chrome-Plated						5 Shelves 74" (1880mm) Posts (74P)		Chrome-Plated					
		18" (457mm) Wide		21" (530mm) Wide		24" (610mm) Wide		18" (457mm) Wide		21" (530mm) Wide		24" (610mm) Wide			
		Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On		
24" (610mm)	Cat. No.	N316C	AN316C	N416C	AN416C	N516C	AN516C	5N317C	5AN317C	5N417C	5AN417C	5N517C	5AN517C		
Long	Wt. lbs. (kg)	42 (19)	35 (16)	46 (21)	39 (18)	50 (23)	43 (20)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)		
30" (760mm)	Cat. No.	N326C	AN326C	N426C	AN426C	N526C	AN526C	5N327C	5AN327C	5N427C	5AN427C	5N527C	5AN527C		
Long	Wt. lbs. (kg)	47 (21)	40 (18)	52 (24)	45 (20)	57 (26)	50 (23)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)		
36" (914mm)	Cat. No.	N336C	AN336C	N436C	AN436C	N536C	AN536C	5N337C	5AN337C	5N437C	5AN437C	5N537C	5AN537C		
Long	Wt. lbs. (kg)	53 (24)	46 (21)	59 (27)	52 (24)	65 (30)	58 (26)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)		
42" (1066mm)	Cat. No.	N346C	AN346C	N446C	AN446C	N546C	AN546C	5N347C	5AN347C	5N447C	5AN447C	5N547C	5AN547C		
Long	Wt. lbs. (kg)	57 (26)	50 (23)	65 (29)	58 (26)	72 (33)	65 (29)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)		
48" (1219mm)	Cat. No.	N356C	AN356C	N456C	AN456C	N556C	AN556C	5N357C	5AN357C	5N457C	5AN457C	5N557C	5AN557C		
Long	Wt. lbs. (kg)	63 (29)	56 (25)	71 (32)	64 (29)	79 (36)	72 (33)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)		
60" (1524mm)	Cat. No.	N366C	AN366C	N466C	AN466C	N566C	AN566C	5N367C	5AN367C	5N467C	5AN467C	5N567C	5AN567C		
Long	Wt. lbs. (kg)	82 (31)	75 (34)	88 (40)	81 (37)	98 (44)	91 (41)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)		
72" (1829mm)	Cat. No.	N376C	AN376C	N476C	AN476C	N576C	AN576C	5N377C	5AN377C	5N477C	5AN477C	5N577C	5AN577C		
Long	Wt. lbs. (kg)	94 (43)	87 (39)	98 (44)	92 (42)	120 (54)	113 (51)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)		

Shelving Starter and Add-On Units — Easy Order Guide (continued)

4 Shelves 63" (1600mm) Posts (63P)								5 Shelves 74" (1880mm) Posts (74P)					
Super Erecta Brite™								Super Erecta Brite™					
		18" (457mm) Wide Starter	Add-On	21" (530mm) Wide Starter	Add-On	24" (610mm) Wide Starter	Add-On	18" (457mm) Wide Starter	Add-On	21" (530mm) Wide Starter	Add-On	24" (610mm) Wide Starter	Add-On
24" (610mm)	Cat. No.	N316BR	AN316BR	N416BR	AN416BR	N516BR	AN516BR	5N317BR	5AN317BR	5N417BR	5AN417BR	5N517BR	5AN517BR
Long	Wt. lbs. (kg)	42 (19)	35 (16)	46 (21)	39 (18)	50 (23)	43 (20)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)
30" (760mm)	Cat. No.	N326BR	AN326BR	N426BR	AN426BR	N526BR	AN526BR	5N327BR	5AN327BR	5N427BR	5AN427BR	5N527BR	5AN527BR
Long	Wt. lbs. (kg)	47 (21)	40 (18)	52 (24)	45 (20)	57 (26)	50 (23)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)
36" (914mm)	Cat. No.	N336BR	AN336BR	N436BR	AN436BR	N536BR	AN536BR	5N337BR	5AN337BR	5N437BR	5AN437BR	5N537BR	5AN537BR
Long	Wt. lbs. (kg)	53 (24)	46 (21)	59 (27)	52 (24)	65 (30)	58 (26)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)
42" (1066mm)	Cat. No.	N346BR	AN346BR	N446BR	AN446BR	N546BR	AN546BR	5N347BR	5AN347BR	5N447BR	5AN447BR	5N547BR	5AN547BR
Long	Wt. lbs. (kg)	57 (26)	50 (23)	65 (29)	58 (26)	72 (33)	65 (29)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)
48" (1219mm)	Cat. No.	N356BR	AN356BR	N456BR	AN456BR	N556BR	AN556BR	5N357BR	5AN357BR	5N457BR	5AN457BR	5N557BR	5AN557BR
Long	Wt. lbs. (kg)	63 (29)	56 (25)	71 (32)	64 (29)	79 (36)	72 (33)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)
60" (1524mm)	Cat. No.	N366BR	AN366BR	N466BR	AN466BR	N566BR	AN566BR	5N367BR	5AN367BR	5N467BR	5AN467BR	5N567BR	5AN567BR
Long	Wt. lbs. (kg)	82 (31)	75 (34)	88 (40)	81 (37)	98 (44)	91 (41)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)
72" (1829mm)	Cat. No.	N376BR	AN376BR	N476BR	AN476BR	N576BR	AN576BR	5N377BR	5AN377BR	5N477BR	5AN477BR	5N577BR	5AN577BR
Long	Wt. lbs. (kg)	94 (43)	87 (39)	98 (44)	92 (42)	120 (54)	113 (51)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)

Shelving Starter and Add-On Units — Easy Order Guide (continued)

4 Shelves 63" (1600mm) Posts (63PK3)								5 Shelves 74" (1880mm) Posts (74PK3)					
Metroseal 3 with Microban®								Metroseal 3 with Microban®					
		18" (457mm) Wide Starter	Add-On	21" (530mm) Wide Starter	Add-On	24" (610mm) Wide Starter	Add-On	18" (457mm) Wide Starter	Add-On	21" (530mm) Wide Starter	Add-On	24" (610mm) Wide Starter	Add-On
24" (610mm)	Cat. No.	N316K3	AN316K3	N416K3	AN416K3	N516K3	AN516K3	5N317K3	5AN317K3	5N417K3	5AN417K3	5N517K3	5AN517K3
Long	Wt. lbs. (kg)	42 (19)	35 (16)	46 (21)	39 (18)	50 (23)	43 (20)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)
30" (760mm)	Cat. No.	N326K3	AN326K3	N426K3	AN426K3	N526K3	AN526K3	5N327K3	5AN327K3	5N427K3	5AN427K3	5N527K3	5AN527K3
Long	Wt. lbs. (kg)	47 (21)	40 (18)	52 (24)	45 (20)	57 (26)	50 (23)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)
36" (914mm)	Cat. No.	N336K3	AN336K3	N436K3	AN436K3	N536K3	AN536K3	5N337K3	5AN337K3	5N437K3	5AN437K3	5N537K3	5AN537K3
Long	Wt. lbs. (kg)	53 (24)	46 (21)	59 (27)	52 (24)	65 (30)	58 (26)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)
42" (1066mm)	Cat. No.	N346K3	AN346K3	N446K3	AN446K3	N546K3	AN546K3	5N347K3	5AN347K3	5N447K3	5AN447K3	5N547K3	5AN547K3
Long	Wt. lbs. (kg)	57 (26)	50 (23)	65 (29)	58 (26)	72 (33)	65 (29)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)
48" (1219mm)	Cat. No.	N356K3	AN356K3	N456K3	AN456K3	N556K3	AN556K3	5N357K3	5AN357K3	5N457K3	5AN457K3	5N557K3	5AN557K3
Long	Wt. lbs. (kg)	63 (29)	56 (25)	71 (32)	64 (29)	79 (36)	72 (33)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)
60" (1524mm)	Cat. No.	N366K3	AN366K3	N466K3	AN466K3	N566K3	AN566K3	5N367K3	5AN367K3	5N467K3	5AN467K3	5N567K3	5AN567K3
Long	Wt. lbs. (kg)	82 (31)	75 (34)	88 (40)	81 (37)	98 (44)	91 (41)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)
72" (1829mm)	Cat. No.	N376K3	AN376K3	N476K3	AN476K3	N576K3	AN576K3	5N377K3	5AN377K3	5N477K3	5AN477K3	5N577K3	5AN577K3
Long	Wt. lbs. (kg)	94 (43)	87 (39)	98 (44)	92 (42)	120 (54)	113 (51)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)

Add-on units with "S" hooks can only be attached to shelves supported by two or more posts.

✓ Indicates antimicrobial product.