U3 120/208V

32.4" x 21.0" x 34.5" (82.3cm x 53.3cm x 87.6cm)



- Half-batch option
- Large water tank-over 20gal
- · All stainless steel construction
- Draw off hot water during brewing cycle without affecting coffee quality
- Top mounted components for ease of service
- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak

Agency:





Specifications

Product #: 20500.0000
Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/208	28	5825	No	-	269	60°F (15.5°C)	1	3	60

Plumbing Requirements

1 lamenig itequileme							
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	3/8" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC
•		

Created on:

04/11/2019




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	34.5 in.	32.4 in.	21.0 in.	31.0 in.	37.5 in.	27.0 in.	100.100 lbs	18.164 ft³
Metric	87.6 cm	82.3 cm	53.3 cm	78.7 cm	95.3 cm	68.6 cm	45.405 kgs	0.514 m³



Related Products & Accessories: U3 120/208V(20500.0000)













Serving & Holding Options: U3 120/208V(20500.0000)







