ICB-DBC-TWIN

Height: 26.3" Width: 20.2" Depth: 24.4" (66.8cm) (51.3cm) (62.0cm)



- Brews into 2.5 to 3.8L (84 to 128oz) airpots and 3.8 and 5.7L (1 to 1.5gal) baseless ThermoFresh® servers for easy transport of coffee to other locations
- Each side has 3 brew buttons, allowing for 3 separate brewing profiles. Two
 programmable batch switches allow full and half batch brewing.
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital display in English/Spanish for easier programming and control. Advertising messages and machine status also displayed. Display capable of showing English or Metric measurements.
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- · Hot water faucet
- Large 5.6gal (21.2L) tank provides back-to-back brewing capacity at 120/208-240V applications
- · Servers not included unless otherwise noted



Agency:





Specifications

Product #: 37600.0004 Faucet: Upper BrewWISE

Water Access: Plumbed

Finish: Black

Funnel: Smart Funnel

Electrical & Capacity

120/240	25	6000	Attached -	-	236ml cups/hr 280	Temp. 60°F (15.5°C)	1	plus Ground	60
Volts*	Amps	Watts	Cord	Plug Type	8oz cups/hr	Input H ² O	Phase	# Wires	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


	<u> </u>		
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-


CAD Drawings

Additional Features

2D	Revit	KLC
•		







Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.3 in.	20.2 in.	24.4 in.	30.0 in.	23.9 in.	28.4 in.	78.440 lbs	11.761 ft³
Metric	66.8 cm	51.3 cm	62.0 cm	76.2 cm	60.6 cm	72.1 cm	35.580 kgs	0.333 m³



Related Products & Accessories:ICB-DBC-TWIN(37600.0004)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000





Serving & Holding Options: ICB-DBC-TWIN(37600.0004)



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



STAND ASSY, TF SERVER

Product #:39795.0003



TF SERVER, DSG2 1G SST NOBASE

Product #:42700.0050



TF SERVER, DSG2 1G BLK NOBASE

Product #:42700.0051



TF SERVER, DSG2 1G SST CD NOBAS

Product #:42700.0052



TF SERVER,DSG2 1.5G SST NOBAS

Product #:42750.0050



TF SERVER, DSG2 1.5G SST CD NOBAS

Product #:42750.0052



TF SERVER, 1G/3.8L MECH NOBASE

Product #:44000.0050



MECH BLK NOBASE

Product #:44000.0051



MECH NOBASE

Product #:44050.0050



TF SERVER, 1.5G/5.7L MECH BLK NOBASE

Product #:44050.0051

