## EQHP-54

22.1" x 4.0" x 4.0" (56.1cm x 10.2cm x 10.2cm)



- Filter cartridges incorporate carbon block media and require no pre- activation
- Equipment protection from reduced sediment particles that can clog the sprayhead
- Consistent brewed coffee and tea from water with reduced sediment and chlorine taste and odor
- Pre-filter offers exceptional sediment holding capacity and particle reduction to 0.2 microns
- Certified by NSF to Standard 53 for cyst reduction
- Incorporates multi-zone pharmaceutical grade pleated nylon prefilter
- Sanitary quick connect valve-in-head design simultaneously shuts off and vents water with 1/4 turn, allowing for simple and troublefree cartridge change-outs

Agency:



#### **Specifications**

Product #: 39000.0006

Cartridge Type: Sanitary Quick Connect

#### **Additional Features**


### Capacity

Service Flow Rate	Capacity	Micron Rating
5.0 gal/min (18.9 L/min)	54000 gal. (204408.6 L) @0 GPG of hardness	0.2

#### Plumbing Requirements

	Max Operating	Max Operating	Inlet	Outlet	
	Pressure	Temperature	Connection	Connection	
100 psi (689 kPa)		100°F(38°C)	3/8 IN FNPT	3/8 IN FNPT	





EQHP-54L or EQHP-54

Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	4.0 in.	22.1 in.	4.0 in.	-	-	-	5.830 lbs	-
Metric	10.2 cm	56.1 cm	10.2 cm	-	-	-	2.644 kgs	-



# Related Products & Accessories: EQHP-54(39000.0006)

