



Project \_\_\_\_\_  
 Item # \_\_\_\_\_  
 Quantity \_\_\_\_\_

# Glo-Ray® Narrow Halogen Strip Heaters

Models: GRN4-18, -24, -30, -36, -42, -48, -54, -60, -66, -72  
 GRN4L-24, -30, -36, -42, -48, -54, -60, -66, -72

Hatco Glo-Ray® Narrow Halogen Foodwarmers are great for use in tight spaces. These stylish units keep the focus on your food items, and the supplemental heat source is ideal over any heated surface.

The halogen heat source is controlled by a dimmer switch, and each model comes with non-adjustable 1.5" (38 mm) angle brackets. GRN4L models are equipped with both Halogen heat lamps and Xenon display lights which provide additional lighting. All units can be fitted with optional non-adjustable tubular stands and powdercoated with *Designer* colors, Gloss or Plated finishes or Stainless Steel.

## Standard features

- The slim design has a 2.13" (54 mm) height and 4" (102 mm) depth that keeps the focus on the food
- Halogen radiant heat is controlled by a dimmer switch allowing operator flexibility
- Pre-focused heat maintains serving temperatures longer without continuing to cook the food
- Available in lengths from 18" to 72" (457-1829 mm) for GRN4 Models and 24" to 72" (610-1829 mm) for GRN4L Models
- Sturdy continuous housings available in:  
*Designer* colors: Warm Red, Black (standard), Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper  
 Gloss finishes: Smooth White, Gleaming Gold, Glossy Gray, Bold Black, Radiant Red, Brilliant Blue  
 Plated finishes: Bright Brass, Bright Nickel, Bright Copper, Antique Brass, Antique Nickel, Antique Bronze
- Optional remote control enclosure bezel in *Designer* colors†

## Remote Control Enclosures


Cutout Dimensions: 8.125" W x 3.875" H (206 x 98 mm)



For GRN4 Models:  
1 dimmer, 1 toggle switch



For GRN4L Models:  
1 dimmer, 2 toggle switches



Model GRN4L-36  
in Designer Black  
(standard) alternates  
Halogen heat  
with Xenon light

Model GRN4-36  
in Designer Black  
(standard) using Halogen  
heat sources  
Mounting brackets  
not shown

## Options (available at time of purchase only)

- Housing in *Designer* Color† (Black standard)
- Warm Red     Gray Granite     White Granite     Navy Blue  
 Hunter Green     Antique Copper
- Housing in Gloss Finishes†
- Smooth White     Gleaming Gold     Glossy Gray     Bold Black  
 Radiant Red     Brilliant Blue
- Housing in Plated Finishes† – Special process required and extended lead times –
- Bright Brass     Bright Nickel     Bright Copper  
 Antique Brass     Antique Nickel     Antique Bronze
- All Stainless Steel Exterior†
- Leads – Standard 6" (152 mm) – Must specify Lead length
- 1'-5" (305-1525 mm)     6'-10" (1829-3048 mm)  
 11'-15" (3352-4572 mm)     16'-20" (4877-6096 mm)
- Non-Adjustable Tubular Stands – Choose clearance
- 10" (254 mm)     12" (305 mm)     14" (356 mm)     16" (406 mm)
- Designer* Color for Tubular Stands† (Clear Anodized standard)
- Warm Red     Black     Gray Granite     White Granite  
 Navy Blue     Hunter Green     Antique Copper
- Gloss Finishes for Tubular Stands†
- Smooth White     Gleaming Gold     Glossy Gray     Bold Black  
 Radiant Red     Brilliant Blue
- Flush Mount Control Box Bezel in *Designer* Color† (Stainless Steel standard)
- Warm Red     Black     Gray Granite     White Granite  
 Navy Blue     Hunter Green     Antique Copper

†Non-standard colors are non-returnable



HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.

(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | equipsales@hatcocorp.com | intl@hatcocorp.com




# Glo-Ray® Narrow Halogen Strip Heaters

Models: GRN4-18, -24, -30, -36, -42, -48, -54, -60, -66, -72

GRN4L-24, -30, -36, -42, -48, -54, -60, -66, -72

## GRN4



## SPECIFICATIONS


### Glo-Ray® Narrow Halogen Strip Heaters

Model	Halogen Elements	Dimensions (W x D x H)	Volts Single Phase	Watts	Amps	Ship Weight*
GRN4-18	2	18" x 4" x 2.13" (457 x 102 x 54 mm)	120	400	3.3	8 lbs. (4 kg)
GRN4-24	2	24" x 4" x 2.13" (610 x 102 x 54 mm)	120	400	3.3	8 lbs. (4 kg)
GRN4-30	2	30" x 4" x 2.13" (762 x 102 x 54 mm)	120	400	3.3	10 lbs. (5 kg)
GRN4-36	3	36" x 4" x 2.13" (914 x 102 x 54 mm)	120	600	5.0	11 lbs. (5 kg)
GRN4-42	3	42" x 4" x 2.13" (1067 x 102 x 54 mm)	120	600	5.0	12 lbs. (5 kg)
GRN4-48	3	48" x 4" x 2.13" (1219 x 102 x 54 mm)	120	600	5.0	12 lbs. (5 kg)
GRN4-54	4	54" x 4" x 2.13" (1372 x 102 x 54 mm)	120	800	6.7	15 lbs. (7 kg)
GRN4-60	4	60" x 4" x 2.13" (1524 x 102 x 54 mm)	120	800	6.7	15 lbs. (7 kg)
GRN4-66	5	66" x 4" x 2.13" (1676 x 102 x 54 mm)	120	1000	8.3	18 lbs. (8 kg)
GRN4-72	5	72" x 4" x 2.13" (1829 x 102 x 54 mm)	120	1000	8.3	18 lbs. (8 kg)

## Remote Control Enclosures

Cutout Dimensions:

8.125" W x 3.875" H (206 x 98 mm)



\* Shipping weight includes packaging and Remote Control Enclosures with one dimmer and toggle switch.

## RECOMMENDED MOUNTING HEIGHTS

(Refer to the Installation section of the Manual on the Hatco website)

7"-12" (178-305 mm) above a non-combustible counter.

## MINIMUM SPACE CLEARANCES

### Combustible Counter

Below overshelf: 1.5" (38 mm) clearance.

Unit to surface below: 10" (254 mm).

Unit to back of wall: 2" (51 mm).

### Non-Combustible Counter

Below overshelf: 1.5" (38 mm) clearance.

Unit to surface below: 7" (178 mm).

Unit to back of wall: 2" (51 mm).

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.


(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | equipsales@hatcocorp.com | intl@hatcocorp.com



# Glo-Ray® Narrow Halogen Strip Heaters

Models: GRN4-18, -24, -30, -36, -42, -48, -54, -60, -66, -72  
 GRN4L-24, -30, -36, -42, -48, -54, -60, -66, -72

## GRN4L



## SPECIFICATIONS

### Glo-Ray® Narrow Halogen Strip Heaters with Xenon Lights

Model	Xenon Bulbs	Halogen Elements	Dimensions (W x D x H)	Volts Single Phase	Watts	Amps	Ship Weight*
GRN4L-24	1	2	24" x 4" x 2.13" (610 x 102 x 54 mm)	120	450	3.8	9 lbs. (4 kg)
GRN4L-30	1	2	30" x 4" x 2.13" (762 x 102 x 54 mm)	120	450	3.8	10 lbs. (5 kg)
GRN4L-36	2	3	36" x 4" x 2.13" (914 x 102 x 54 mm)	120	700	5.8	13 lbs. (6 kg)
GRN4L-42	2	3	42" x 4" x 2.13" (1067 x 102 x 54 mm)	120	700	5.8	14 lbs. (6 kg)
GRN4L-48	2	3	48" x 4" x 2.13" (1219 x 102 x 54 mm)	120	700	5.8	14 lbs. (6 kg)
GRN4L-54	3	4	54" x 4" x 2.13" (1372 x 102 x 54 mm)	120	950	7.9	17 lbs. (8 kg)
GRN4L-60	3	4	60" x 4" x 2.13" (1524 x 102 x 54 mm)	120	950	7.9	18 lbs. (8 kg)
GRN4L-66	4	5	66" x 4" x 2.13" (1676 x 102 x 54 mm)	120	1200	10.0	21 lbs. (10 kg)
GRN4L-72	4	5	72" x 4" x 2.13" (1829 x 102 x 54 mm)	120	1200	10.0	21 lbs. (10 kg)

\* Shipping weight includes packaging and Remote Control Enclosures with one dimmer and two toggle switches..

## RECOMMENDED MOUNTING HEIGHTS

(Refer to the Installation section of the Manual on the Hatco website)  
 7"-12" (178-305 mm) above a non-combustible counter.

## MINIMUM SPACE CLEARANCES

### Combustible Counter

Below overshelf: 1.5" (38 mm) clearance.  
 Unit to surface below: 10" (254 mm).  
 Unit to back of wall: 2" (51 mm).

### Non-Combustible Counter

Below overshelf: 1.5" (38 mm) clearance.  
 Unit to surface below: 7" (178 mm).  
 Unit to back of wall: 2" (51 mm).

## PRODUCT SPECS

### Glo-Ray® Narrow Halogen Strip Heaters

The Narrow Halogen Strip Heater shall be a Glo-Ray® model, manufactured by the Hatco Corporation, Milwaukee, WI 53234 U.S.A.

The Glo-Ray model shall be ... , rated at ... watts, ... volts, single phase and be ... inches (millimeters) in overall width.

The Glo-Ray shall consist of Stainless Steel, Designer painted, Gloss or Plated housing and include as standard equipment non-adjustable 1.5" (38 mm) angle brackets.

The halogen heating elements shall be glass enclosed. GRN4L models include Xenon lighting. The foodwarmer shall be factory assembled ready for electrical installation.


Options shall include choice of Stainless Steel, Designer color, Gloss or Plated finish, extended electrical leads and non-adjustable tubular stands.

Warranty consists of 24/7 parts and service assistance (U.S. and Canada only).

## Remote Control Enclosures

Cutout Dimensions:

8.125" W x 3.875" H (206 x 98 mm)



HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.

(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | equipsales@hatcocorp.com | intl@hatcocorp.com