# Triple Ingredient Bins

## **Triple Ingredient Bins**

ITEM NO.
QUANTITY NO
JOB NO.
SPEC NO.



148PIB

### **Specifications:**

- Heavy duty plastic bins are constructed of seamless, one-piece, sanitary polyethylene. Will not chip, corrode or rust.
- Bins are available in White, Yellow and Blue, to color code for easy product identification.
- Clear, heavy duty, plastic lids are standard with all units.
- Ideal height, conveniently fits under work tables, saving valuable space.
- Heavy duty frame. Bins and lids are interchangeable with other popular brands.
- Model 148PIB frame is constructed of sanitary aluminum that will not rust and maneuvers easily on large 5" polyurethane casters.
- Model 148PIB/WF frame is constructed of heavy duty chrome plated wire and maneuvers easily on 4" casters. This unit ships knock down.

### **Total Capacity each Bin**

■ 55 lb Flour (25 kg) ■ 75 lb Su

■ 75 lb Sugar (34 kg)

					Overall D	Approx. Ship Weight		Freight Class			
	Model Number	Ordering Number	Width		Length				Height		
			(in)	(mm)	(in)	(mm)	(in)	(mm)	(lb)	(kg)	
	Full Alumin	um Assen	nbly with	1 White,	1 Yellow, a	and 1 Blue	Tub and	Three Clea	r Covers		
EXPRESS	148PIB	111940	17	432	31½	800	28¾	730	48	22	70
	Full Wire Fi	ame Asse	mbly wi	th 1 White	, 1 Yellow,	and 1 Blu	e Tub and	Three Cle	ar Covers		
	148PIB / WF	193800	17¾	451	31½	826	301/2	775	36	16	100
	Bins										
	148BIN-WH	<b>48BIN-WH</b> 130008							White		
	148BIN-YW	129980	91⁄4	235	145/8	371	231⁄4	591	Yel	low	100
	148BIN-BL	182713							BI	ue	
	Covers										
	148COV	111931	_						Cle	ear	100
	Replaceme	nt Caster I	nformat	ion							
	757	123684	Swiv	Swivel Square Stem Caster with 5" Polyurethane Wheel —							65
	759	123721	Swiv	el Stem Cast	er with 4" x	1" Polyuretha	ane Wheel		_		65

### Lifetime Guarantee

Against Rust or Corrosion on All Aluminum Products.

LABORATORY CERTIFICATION AND APPROVAL SYMBOLS:



Wire Frame Ingredient Bins 148PIB/WF





439 Oak Street • Garden City, NY 11530 • Tel: 1-800-444-3595 • Fax: 516-222-0371 www.winholt.com • sales@winholt.com

# Ingredient Bin, Single

## Ingredient Bin, Single

ITEM NO.
QUANTITY NO.
JOB NO.
SPEC NO

### **Specifications:**

- Heavy duty plastic bin is constructed of white, seamless, one-piece, sanitary polyethylene. Will not chip, corrode or rust.
- Bins are washable and steam cleanable.
- Ideal height, conveniently fits under 30" work table, saving valuable space.
- Maneuvers easily on four 3" rubber casters for easier rolling and maneuverability.
- Equipped with heavy duty Aluminum Lid.

### **Total Capacity**

■ 160 lb Flour (73 kg) ■ 228 lb Sugar (103 kg)

				· .						
Model Number	Ordering Number		Approx.							
		Wi	dth	Ler	ngth	Hei	ight	Ship Weight		
		(in)	(mm)	(in)	(mm)	(in)	(mm)	(lb)	(kg)	
1529PIB / ALC	112011	15	381	29	737	27	686	30	14	
Replacement Caster Information										
7317	123043	Swivel Plate caster with 3" Rubber Wheel —						_		
749	123561	Rigid Plate Caster with 3" Rubber Wheel —								
7111	122171	3" Rubber Wheel						_		

Freight Class: 70

1529PIB/ALC



# Ingredient Bin, Single

## Ingredient Bin, Single

ITEM NO.
QUANTITY NO.
JOB NO.
SPEC NO

### **Specifications:**

- Stainless Steel frame with one-piece, seamless, NSF and FDA approved polyethylene liner.
- Rugged construction for lifetime durability. Win-Holt ingredient bins won't bulge or break.
- Durable single-piece transporting handle with combined nameplate holder for easy cleaning. Fingertip slide-off cover completely removable to speed up cleaning.
- 3" diameter casters two swivel two rigid for complete mobility even when fully loaded. Casters are securely affixed to rugged metal base not molded into plastic where they can break away.
- Airtight design for better product protection and sanitation.
- Lift out POLY-LINER for maximum working convenience.
- Perfect for under bench applications



### **Total Capacity**

- 150 lb Flour (68 kg)
- 218 lb Sugar (99 kg)

Model Number	Ordering Number		Overall Dimensions							Approx.	
		Desc.	Width		Length		Height		Ship Weight		
			(in)	(mm)	(in)	(mm)	(in)	(mm)	(lb)	(kg)	
IB-A216W / PL	254641	Aluminum	15	381	27	686	28	711	40	18	
Replacement Caster Information											
303RPRCW	895465	Rigid Plate Caster 3¼" x 1½" Polyurethane Wheel							_		
303SPPCW	895529	Swivel	Swivel Plate Caster with 3¼" x 1½" Polyurethane Wheel						_		

Freight Class: 70

LABORATORY CERTIFICATION AND APPROVAL SYMBOLS:





439 Oak Street • Garden City, NY 11530 • Tel: 1-800-444-3595 • Fax: 516-222-0371 www.winholt.com • sales@winholt.com