



# SUPER PAN V®

learn more at [VOLLRATH.COM](http://VOLLRATH.COM)

\$ Save an average of \$36 a year per full-size pan – See more at [Vollrath.com](http://Vollrath.com)

## STRONG. SMART. STUNNING

- Smooth curves and bright finish for an elegant presentation
- Easy-to-pour corners up to 300% stronger
- 22-gauge, 300 series stainless steel resists dents and dings
- Now with Jacob's Pride® Lifetime Warranty



For Super Pan V® flange and opening sizes, visit [Vollrath.com](http://Vollrath.com).



| PAN SIZE AND DIMENSIONS                                       | ITEM # | DEPTH IN (MM) | BRIMFUL CAPACITY QT (L) | PAN CASE LOT | SOLID COVER | CASE LOT | SLOTTED COVER | CASE LOT | WIRE GRATE | CASE LOT | FALSE BOTTOM | CASE LOT |
|---|--------|---------------|-------------------------|--------------|-------------|----------|---------------|----------|------------|----------|--------------|----------|
| <b>FULL-SIZE</b><br>20¾ x 12¾ in<br>527 X 324 mm<br>1/1       | 30002  | ¾ (20)        | Tray                    | 6            | 77250       | 6        | 75210         | 6        | 20028      | 12       | 20000        | 6        |
|   | 30012  | 1¼ (35)       | 3.9 (3.7)               | 6            | 77250       | 6        | 75210         | 6        | 20028      | 12       | 20000        | 6        |
|   | 30022  | 2½ (65)       | 8.3 (7.9)               | 6            | 77250       | 6        | 75210         | 6        | 20028      | 12       | 20000        | 6        |
|   | 30042  | 4 (100)       | 14 (13.3)               | 6            | 77250       | 6        | 75210         | 6        | 20028      | 12       | 20000        | 6        |
|   | 30062  | 6 (150)       | 21 (19.9)               | 6            | 77250       | 6        | 75210         | 6        | 20028      | 12       | 20000        | 6        |
| <b>TWO-THIRDS SIZE</b><br>13⅞ x 12¾ in<br>352 x 324 mm<br>2/3 | 30102  | ¾ (20)        | Tray                    | 6            | 75110       | 6        | —             | —        | —          | —        | 21110        | 6        |
|   | 30112  | 1¼ (35)       | 3 (2.8)                 | 6            | 75110       | 6        | —             | —        | —          | —        | 21110        | 6        |
|   | 30122  | 2½ (65)       | 5.6 (5.3)               | 6            | 75110       | 6        | —             | —        | —          | —        | 21110        | 6        |
|   | 30142  | 4 (100)       | 9.3 (8.8)               | 6            | 75110       | 6        | —             | —        | —          | —        | 21110        | 6        |
|   | 30162  | 6 (150)       | 14 (13.3)               | 3            | 75110       | 6        | —             | —        | —          | —        | 21110        | 6        |
| <b>HALF-SIZE</b><br>10¾ x 12¾ in<br>264 x 324 mm<br>1/2       | 30202  | ¾ (20)        | Tray                    | 6            | 75120       | 6        | —             | —        | —          | —        | —            | —        |
|   | 30212  | 1¼ (35)       | 2.1 (2)                 | 6            | 75120       | 6        | 75220         | 6        | 20228      | 12       | 20200        | 6        |
|   | 30222  | 2½ (65)       | 4.3 (4.1)               | 6            | 75120       | 6        | 75220         | 6        | 20228      | 12       | 20200        | 6        |
|   | 30242  | 4 (100)       | 6.7 (6.3)               | 6            | 75120       | 6        | 75220         | 6        | 20228      | 12       | 20200        | 6        |
|   | 30262  | 6 (150)       | 10 (9.5)                | 6            | 75120       | 6        | 75220         | 6        | 20228      | 12       | 20200        | 6        |
| <b>HALF-LONG SIZE</b><br>20¾ x 6⅞ in<br>527 x 164 mm<br>2/4   | 30512  | 1¼ (35)       | 1.9 (1.8)               | 6            | 93500       | 6        | 94500         | 6        | —          | —        | —            | —        |
|   | 30522  | 2½ (65)       | 3.8 (3.6)               | 6            | 93500       | 6        | 94500         | 6        | —          | —        | —            | —        |
|   | 30542  | 4 (100)       | 6 (5.7)                 | 3            | 93500       | 6        | 94500         | 6        | —          | —        | —            | —        |
|   | 30562  | 6 (150)       | 8.7 (8.2)               | 3            | 93500       | 6        | 94500         | 6        | —          | —        | —            | —        |
| <b>THIRD-SIZE</b><br>6⅞ x 12¾ in<br>175 x 324 mm<br>1/3       | 30302  | ¾ (20)        | Tray                    | 6            | 75130       | 6        | 75230         | 6        | 20328      | 6        | 20300        | 6        |
|   | 30312  | 1¼ (35)       | 1.3 (1.2)               | 6            | 75130       | 6        | 75230         | 6        | 20328      | 6        | 20300        | 6        |
|   | 30322  | 2½ (65)       | 2.6 (2.5)               | 6            | 75130       | 6        | 75230         | 6        | 20328      | 6        | 20300        | 6        |
|   | 30342  | 4 (100)       | 4.1 (3.9)               | 6            | 75130       | 6        | 75230         | 6        | 20328      | 6        | 20300        | 6        |
|   | 30362  | 6 (150)       | 6.1 (5.8)               | 6            | 75130       | 6        | 75230         | 6        | 20328      | 6        | 20300        | 6        |
| <b>FOURTH-SIZE</b><br>6⅞ x 10¾ in<br>162 x 264 mm<br>1/4      | 30402  | ¾ (20)        | Tray                    | 6            | 75140       | 6        | 75240         | 6        | —          | —        | 20400        | 6        |
|   | 30412  | 1¼ (35)       | 1.2 (1.1)               | 6            | 75140       | 6        | 75240         | 6        | —          | —        | 20400        | 6        |
|   | 30422  | 2½ (65)       | 1.8 (1.7)               | 6            | 75140       | 6        | 75240         | 6        | —          | —        | 20400        | 6        |
|   | 30442  | 4 (100)       | 3 (2.8)                 | 6            | 75140       | 6        | 75240         | 6        | —          | —        | 20400        | 6        |
|   | 30462  | 6 (150)       | 4.5 (4.3)               | 6            | 75140       | 6        | 75240         | 6        | —          | —        | 20400        | 6        |
| <b>SIXTH-SIZE</b><br>6⅞ x 6⅞ in<br>175 x 159 mm<br>1/6        | 30622  | 2½ (65)       | 1.2 (1.1)               | 6            | 75160       | 6        | 75260         | 6        | —          | —        | 20600        | 6        |
|   | 30642  | 4 (100)       | 1.8 (1.7)               | 6            | 75160       | 6        | 75260         | 6        | —          | —        | 20600        | 6        |
|   | 30662  | 6 (150)       | 2.7 (2.5)               | 6            | 75160       | 6        | 75260         | 6        | —          | —        | 20600        | 6        |
| <b>NINTH-SIZE</b><br>6⅞ x 4¾ in<br>175 x 108 mm<br>1/9        | 30922  | 2 (50)        | 0.6 (0.5)               | 6            | 75360       | 6        | 75460         | 6        | —          | —        | —            | —        |
|   | 30942  | 4 (100)       | 1.1 (1)                 | 6            | 75360       | 6        | 75460         | 6        | —          | —        | —            | —        |

Specifications: Super Pan V®, shall be 22-gauge, 300 series stainless steel. Top outside shall be designed with built-in concave, diagonally tapered corners for impact resistance which also acts as pouring spout. All depths of solid pans shall have anti-jamming design to prevent pans from sticking together. Reverse formed edge shall be polished and flattened for consistent tangent to well opening and for hand comfort. Product identification to be laser etched on pan. NSF Certified.