

# RWN-16, RWN-26, RWN-36 BUILT-IN NARROW DRAWER WARMERS

RWN-16, RWN-26, RWN-36 BUILT-IN NARROW DRAWER WARMERS



**RWN-26**

Wells Built-In Narrow Drawer Warmers can keep a variety of foods hot and ready to serve. Their compact width saves valuable space, yet the drawers accept all standard 12" x 20" pans up to 6" deep. All Wells warmers come with individual controls on each drawer for temperature and humidity, allowing food to be hot and crispy in one drawer, warm and moist in another.

### Features

- **Narrow width saves space** while accommodating standard 12"x20" pans.
- **Exclusive self-latching mechanism** provides easy, one-touch, secure closing.
- **Individual thermostatic temperature control** on each drawer gives these warmers maximum versatility.
- **Durable stainless steel tracks and bearings** provide smooth, trouble-free operation.
- **Adjustable front vent** on each drawer allows for humidity control.
- **A stainless steel pan** is provided with each drawer and is capable of holding a standard 12" x 20" pan.
- **Fully insulated** for maximum efficiency.
- **Models with optional built-in thermometer (T)** are NSF approved for potentially hazardous foods.
- **The RWN series Drawer Warmers** are Underwriters Laboratories, Inc. LISTED and meet NSF International and Canadian standards.
- **A one-year warranty** against defects covers parts and labor.

### Specifications

| Overall Dimensions:      | Inches         | MM         |
|--------------------------|----------------|------------|
| Width                    | 20 1/4         | 514        |
| Depth                    | 26 1/2         | 673        |
| Height                   |                |            |
| RWN-16 series            | 10 7/8         | 276        |
| RWN-26 series            | 21             | 533        |
| RWN-36 series            | 31 1/8         | 790        |
| Temperature Range:       | Fahrenheit     | Celsius    |
| RWN series               | 90° to 210°    | 32° to 99° |
| Pre-Heat Time to 175° F: | 120V & 240V    | 208V       |
| RWN series               | 15 minutes     | 22 minutes |
| Typical Capacity:        | Dinner Rolls   |            |
| Individual drawer        | Approx. 8 doz. |            |
| Weights:                 | Lbs.           | KG         |
| <b>RWN-16 series:</b>    |                |            |
| Installed                | 51             | 23         |
| Shipping                 | 63             | 29         |
| <b>RWN-26 series:</b>    |                |            |
| Installed                | 96             | 44         |
| Shipping                 | 120            | 54         |
| <b>RWN-36 series:</b>    |                |            |
| Installed                | 155            | 70         |
| Shipping                 | 191            | 87         |

### Accessories / Options

**Humitrol Rack**, stainless steel, one per drawer, non-splash, 20624


**Optional Built-in Thermometer (T)**, for individual drawers, contact factory





**MODEL  
RWN-16  
BUILT-IN NARROW  
DRAWER WARMER**

**DIMENSIONS:**       $\frac{\text{INCH}}{\text{(MM)}}$



**RWN-16 ELECTRICAL SPECIFICATIONS:**

| MODELS* | VOLTS | WATTS | AMPS | PHASE  | POWER SUPPLY CORD |
|---------|-------|-------|------|--------|-------------------|
| RWN-16  | 120   | 450   | 3.8  | SINGLE | NONE              |
| RWN-16  | 208   | 338   | 1.6  | SINGLE | NONE              |
| RWN-16  | 240   | 450   | 1.9  | SINGLE | NONE              |

\* RWNT-16 models are provided with a thermometer and have the same electrical specifications as the standard models.


NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.



**MODEL  
RWN-26  
BUILT-IN NARROW  
DRAWER WARMER**

**DIMENSIONS:**

INCH  
(MM)



**RWN-26 ELECTRICAL SPECIFICATIONS:**

| MODELS* | VOLTS | WATTS | AMPS | PHASE  | POWER SUPPLY CORD |
|---------|-------|-------|------|--------|-------------------|
| RWN-26  | 120   | 900   | 7.5  | SINGLE | NONE              |
| RWN-26  | 208   | 676   | 3.3  | SINGLE | NONE              |
| RWN-26  | 240   | 900   | 3.8  | SINGLE | NONE              |


\* RWNT-26 models are provided with a thermometer and have the same electrical specifications as the standard models.

NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.



**MODEL  
RWN-36  
BUILT-IN NARROW  
DRAWER WARMER**

**DIMENSIONS:**       $\frac{\text{INCH}}{\text{(MM)}}$



**RWN-36 ELECTRICAL SPECIFICATIONS:**

| MODELS* | VOLTS | WATTS | AMPS | PHASE  | POWER SUPPLY CORD |
|---------|-------|-------|------|--------|-------------------|
| RWN-36  | 120   | 1350  | 11.3 | SINGLE | NONE              |
| RWN-36  | 208   | 1014  | 4.9  | SINGLE | NONE              |
| RWN-36  | 240   | 1350  | 5.6  | SINGLE | NONE              |

\* RWNT-36 models are provided with a thermometer and have the same electrical specifications as the standard models.

NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.

WELLS MANUFACTURING COMPANY  
 2 ERIK CIRCLE, PO BOX 280, VERDI, NV 89439 U.S.A.  
 USA PHONE: (775) 689-5700 • FAX: (775) 689-5972  
 FOR ORDERS ONLY: (888) 356-5362 • FAX: (800) 356-5142  
 www.wellsbloomfield.com  
 © 2002 WELLS MANUFACTURING • PRINTED IN THE U.S.A.  
 02/02 • REV(E) • PART NO. 49340

