





















(except PVC coated wire shelf)

Kit Type #1

All tray slides shown in TR series cabinet.

# TR/TA/TG & DEEP TS SERIES INTERIOR OPTIONS

### **Description** (see below for spacing options)

Kit #1 - (9) sets of #1 type tray slides and pilasters
Kit #2 - (1) set of #2 type tray slides and pilasters
(equips 1/2 section only)
Kit #3 - (6) sets of universal type tray slides and pilasters
Kit #4 - (3) chrome shelves and shelf supports**
(heated cabinets include wall mounted pilasters and shelf clips)
#1 Type Tray Slide for (1) 18" x 26" or
(2) 14" x 18" pans - per set of 2 (TR/TA/TG or Deep TS)
#2 Type Tray Slide for 18" x 26" pans
per set of 2, equips 1/2 section (TR/TA/TG or Deep TS)
#3 Universal Type Tray Slide for (1) 18" x 26" or
(2) 12" x 20" or (2) 14" x 18" pape - per set of 2 $(TR/TA/TG or Doop TS)$

- (2) 12" x 20" or (2) 14" x 18" pans per set of 2 (TR/TA/TG or Deep TS)
- #4 (1) Chrome shelf and shelf supports
- Note: when ordering interior kits for TR/TA/TG-Series and Deep TS units please indicate...
  - 1. Model type
- 2. Interior kit type and quantity (#1 type, #2 type, #3 type, #4 type)
- 3. Section in unit that kit will be in (left, center, or right)
- 4. Location in section that kit will be used in (top half, bottom half, full section)\*
   Pilasters are specific to interior kit type and are only available in half section and
- full section sizes.
  \*\* On refrigerators and freezers, shelves mounted with pilaster/clip assembly available in lieu of standard shelf support system if ordered with cabinet from factory.
- Pilasters and tray slides/shelving for TR series are factory installed at no
- charge. (please note: lead time is required depending on cabinet availability).
- 11 Pilasters for TA/TG & Deep TS series to be field installed (Deep TS will ship separate).


# TR/TA/TG & DEEP TS SERIES TRAY SLIDE SPACING #

Description	The quantities below represent the maximum amount of tray slide sets usable							
#1 Type Tray Slides *	SPACING							
	2	2" 3" 4"		2"			5	"
<b>Refrigerators &amp; Freezers</b>	TR/TA/TG	Deep TS	TR/TA/TG	Deep TS	TR/TA/TG	Deep TS	TR/TA/TG	Deep TS
Behind full length door	28	25	19	17	14	13	11	10
Behind upper half door	13	12	9	8	7	6	5	5
Behind lower half door	13	11	9	7	7	5	5	4
Heated Cabinets	TR/TA/TG 1 section	TR/TA/TG 2 section	TR/TA/TG 1 section	TR/TA/TG 2 section	TR/TA/TG 1 section	TR/TA/TG 2 section	TR/TA/TG 1 section	TR/TA/TG 2 section
Behind full length door †	25	23	17	15	13	11	9	8
Behind upper half door	13	13	9	9	7	7	5	5
Behind lower half door †	11	8	7	5	5	4	4	3
#2 Type Tray Slides *				ENTER 0.C.				
<b>Refrigerators &amp; Freezers</b>			TR/TA/TG	Deep TS	S			
Behind full length door			38	32				
Behind upper half door			18	15				
Behind lower half door				18	15			
Heated Cabinets				TR/TA/TG 1 section	TR/TA/TG 2 section			
Behind full length door ††				not av	ailable			
Behind upper half door				18	18			
Behind lower half door tt				not av	vailable			
#3 Universal Type			SPA	CING				
Tray Slides *	4	1"	5	5" 6"				
<b>Refrigerators &amp; Freezers</b>	TR/TA/TG	Deep TS	TR/TA/TG	Deep TS	TR/TA/TG	Deep TS		
Behind full length door	14	12	11	10	10	8		
Behind upper half door	7	6	5	5	4	4		
Behind lower half door	7	5	5	4	4	4		
Heated Cabinets	TR/TA/TG 1 section	TR/TA/TG 2 section	TR/TA/TG 1 section	TR/TA/TG 2 section	TR/TA/TG 1 section	TR/TA/TG 2 section		
Behind full length door †	13	11	10	7	9	7		
Behind upper half door	7	7	5	5	4	4		
Behind lower half door †	5	3	4	1	3	2		

\$\$ Spacing is for 2004 and later style production. For older style cabinets contact factory.
 \$\$ For spacing on dual-temp units, consult factory.

t Do not position tray slide directly in front of heating element(s).

#2 tray slide assembly only available in upper half of cabinet because of heating element location.







Chrome Plated Steel Rod Type For Rim Support Of: 18" x 26" pans Note: one pair of #2 tray slides accommodates one half section \* for light duty applications.



### Kit Type #3 Universal Tray Slide

16 ga. Stainless Steel Angle Type For Bottom Support Of: (1) 18" x 26" pan or (2) 14" x 18" pans or (2) 12" x 20" pans



### Kit Type #4 Chrome Shelves & Shelf Supports\* (refrigerators & freezers only)

TR Series & Deep TS refrigerators & freezers Chrome Shelves & Shelf Supports\*



Chrome Shelf

TA/TG refrigerators & freezers PVC Coated Shelves & Shelf Supports\*

PVC Coated Wire Shelf

\* heated cabinets utilizing shelves include chrome shelves, shelf clips and wall mounted pilasters.



### Note: All Accessories Are At Parts Discount



\* heated cabinets utilizing shelves include chrome shelves, shelf clips and wall mounted pilasters.

# TR/TA/TG SERIES ELECTRONIC CONTROLLER

Description		ltem Number
Electronic Temperature Control (TR/TA/T	G series only)	
TR/TA/TG Refrigerators & Freezers	(factory installed)	831978-FI
TR/TA/TG Heated Cabinets	(factory installed)	822220-FI
(available for TR/TA/TG series refrigerate	ors, freezers and heate	ed cabinets)
note: must be factory installed.		

TR/TA/TG SERIES LEGS/CASTORS

Description	ltem Number
6" Legs (set of 4) - (stainless steel)	881379
6" Legs (set of 6) - (stainless steel)	881378
6" Legs (set of 4) - for one & two section units	872025
6" Legs (set of 6) - for three section units	872029
6" Seismic/Flanged Legs (set of 4) - for one & two section units	880348
6" Seismic/Flanged Legs (set of 6) - for three section units	880349
4" Castors (set of 4) - for one & two section units	830277
4" Castors (set of 6) - for three section units	830278

Castors and legs are not available on roll-in/roll-thru models.

Castors not available on 2 section heated cabinets.

# TR/TA/TG SERIES METAL DOOR HANDLE

#### Description

Metal Door Handle (per door)

Available for TR/TA/TG series solid door models only. note: must be factory installed.

# TR/TA/TG SERIES SHELVING

#### Description

PVC coated shelf (includes knob style shelf supports)\* Chrome plated shelf (includes knob style shelf supports)\* Stainless steel shelf (includes knob style shelf supports)\* Note: when ordering TR/TA/TG Series shelves please indicate 1. Model type

2. Section in unit that shelf will be in (left, center, or right)

note: knob style shelf supports not available for heated cabinets.

\* Heated cabinets utilizing shelves include chrome shelves, shelf clips and wall mounted pilasters (stainless steel shelves available).



Electronic Controller (TR/TA/TG refrigerators & freezers)



# SHELVING


Description	ltem Number
PVC Coated Wire Shelves	
Standard Shelves	
GDM-9, -9PT, GDM-33C-PT, GDM-33C-PT-54,	
GDM-33SL-60, GDM-33SSL-54, GDM-35SL-RF	
GDM-35RF	875356
TAC-30, TAC-30GS	883250
TAC-36	883046
TAC-48, TAC-48GS	881919
TBB-2, -3, -4 (left side)	871723
TCGG-48/-S (with light assembly)	883366
TCGG-72/-S (with light assembly)	883577
TSID-48 (top 17 <sup>1</sup> /2" deep shelf)	874000
TSID-48 (bottom 19" deep shelf)	874001
TSID-48-L (22" deep shelf)	874071
TSID-72 (top 17 <sup>1</sup> /2" shelf)	871797
TSID-72 (bottom 19" deep shelf)	871798
TSID-72-L (22" deep shelf)	874072
TSID-96 (top 17 <sup>1</sup> /2" shelf)	874025
TSID-96 (bottom 19" deep shelf)	874026
Stainless Steel Mezzanine Shelves	
TCGG-48/-S (with light assembly)	883541
TCGG-48/-S (without light assembly)	883580
TCGG-72/-S (with light assembly)	882959
TCGG-72/-S (without light assembly)	891248
TCGR-50/-50-CD (with light assembly)	883047
TCGR-50/-50-CD (without light assembly)	883576
TCGR-77/-77-CD (without light assembly)	884653
TDBD-72 (14" deep) (without light assembly)	874076
TDBD-72 (14" deep) (with light assembly)	874004
TDBD-72 (117/8" deep) (without light assembly)	871788
Chrome Plated Shelves	
Chrome Shelves for TH-23 & TH-23G	874080
Chrome Shelves for TS-28 & TS-53	881689
Price Strips	
1 <sup>1</sup> /4" (for GDM, GEM, T, TS, TM, TSD wire shelves)	873774
1 <sup>11</sup> /16" (for TAC-30 wire shelves)	812120
1 <sup>11</sup> /16" (for TAC-36 wire shelves)	812121
1 <sup>11</sup> /16" (for TAC-48 wire shelves)	812143
1 <sup>11</sup> /16" (for TAC-72-RC wire shelves)	812123
(prices shown include clips, brackets or shelf supports)	
note: Lighted shelves for display cases are limited to the num	ber of
receptacles included with the cabinet.	
Order by model number.	



Wire Shelf

# WINE RACKS

Description	ltem Number
GDM-23, GDM-45	871713
GDM-47, GDM-49, TSD-47,	879202
GDM-69, GDM-72, T-72, TSD-69,	
TBB-2, TBB-3, TBB-4	871714
(TBB-3 for left side of cabinet only)	
(clips included in this price) Order by model number.	



Wine Rack

# SLIDING WINE RACK

2412
9330



Sliding Wine Rack





Stainless Cantilever Shelving



Self-Serve Organizers\*

### Description

-	
Each 12 oz.	
Each 20 oz.	
Each 1 liter	r
Each 20 oz.	. (GDM-35RF, GDM-35SL-RF)
Order by m	odel number and size - not available for all models.
* A	n sublim en blend.

Available in white or black.



Novelty Basket (sits on wire shelf)

# HORIZONTAL FREEZER NOVELTY BASKET

Description		ltem Number
THF-29FL, THF-41FL, THF-51FL	each	909404
THF-41AL	each	909406
dividers	each	891831
THF-29 holds (2) baskets; THF-41 hold	ls (3) baskets; <sup>-</sup>	THF-51 holds (4)
baskets.		



Beer Organizer

# TAC CANTILEVER SHELVING

Description	ltem Number
White	
TAC-30, TAC-30GS	885014
TAC-36	885016
TAC-48, TAC-48GS	884688
TAC-72*	883049
Stainless Steel	
TAC-30, TAC-30GS	885013
TAC-36	885015
TAC-48, TAC-48GS	884568
TAC-72*	911294

\*TAC-72 models require two shelves per level.

note: cantilever shelving is not available for TAC models produced prior to

8/1/05, or TAC-72RC models; consult factory.



TrueTrac 4 @ (standard with 3/4" price strip)

# NOVELTY BASKET

Description	Dimensions	ltem Number
GDM- & T- models 23, 23F, 43F,		
49, 49F, 72, 72F (3 dividers std.)	(19 <sup>1</sup> /4"L x 21 <sup>3</sup> /4"D x 5"H)	832055
Extra dividers (each)		832060
GDM-12, 12F & T-models 12, 12F, 12FG,		
19F, 19FZ (3 dividers std.)	(19 <sup>1</sup> /4"L x 17 <sup>1</sup> /8"D x 5"H)	832056
Extra dividers (each)		832057

note: Basic models listed; consult factory for specific model compatibility.



Horizontal Freezer Novelty Basket With Dividers

truetrac.

BACK BAR BEER ORGANIZERS

### Description

Each 1 Liter or Wine Each 12 oz. bottle specify left, right or center.

note: Beer organizers not available for TBB-24-60's or TBB-24-72.

# TULE.

# **C**ASTORS / LEGS

		4" legs adiustable	Standard castors/legs	Seismic/ Flanged legs	
Description		to 5"	List Price	List Price	
GDM, TSD, T, TM, TS, TR/TA/TG - 3 Door Models	(set of 6)		٠	•	
GDM-61	(set of 6)		•	•	
TD-95-38/-LT, TDD-4, TBB-4,					
TSID-96, TDBD-96, TRCB-79-86	(set of 6)		•	•	
TPP-93, TUC-93, TWT-93	(set of 6)		•	•	
TPP-119, TUC-119, TWT-119 & TRCB-110 require 2 sets of 4					
GDM-5's, GDM-7's, GDM-9's (all variations)	(set of 4)	•			
All other models	(set of 4)		٠	•	

Castors are not available on GDM-5, GDM-5F, GDM-5-PT, GDM-5F-PT, GDM-7, GDM-9, GDM-14RF, TCGR-77's, TCGD-77, hard wired models, roll-in/roll-thru or remote models and two section heated cabinets.

Legs are not available on T-12, T-12F, T-12G/-12FG, GDM-10/-10PT/-10RF/-10F, GDM-12/-12F/-12FC/-12RF, GEM-12/-12FC, GDM-14RF, GDM-33SSL-54, TAC's, TCM-78AC, TCM-84, TCGR-77's, TCGD-77, TDD-1/-S and roll-in/roll-thru models.

Description Num	ber
Leg mounting plates (set of 4) 8791	93
Leg mounting plates (set of 6) 8791	94

Leg mounting plates are required on all TMC's and TRCB's (2 sets of 4 are needed for TRCB-110, 1 set of 6 are needed for TRCB-79's, TRCB-82's & TRCB-96; others 1 set of 4)




Sneezeguard

# **GARNISH RACKS**

Description		ltem Number
TPP-44	1	874625
TPP-60	1	883520
TPP-67	1	874626
TPP-93	1 set (of 2)	874627
TPP-119	1 set (of 2)	883521
Garnish Rack Pan	(18 <sup>3</sup> /4" x 12 <sup>7</sup> /8")	802326



Crumb Catcher



6" Leg

# **SNEEZEGUARD OPTION**

Description	ltem Number
TSSU-27	873017
TSSU-36	881329
TSSU-48	873018
TSSU-60	873019
TSSU-72	873096
TSSU-27 Mega	873043
TSSU-36 Mega	881330
TSSU-48 Mega	873042
TSSU-60 Mega	873044
TSSU-72 Mega	873045

note: Not available for dual sided models.



Garnish Rack

# **CRUMB CATCHER**

Description	Number
TSSU-27*	874617
TSSU-36*	881817
TSSU-48*	874618
TSSU-60*	874619
TSSU-72*	874620

\* Must also order crumb catcher cutting board for proper installation.



# Accessories



# **RATCHET LOCKS**

Description	# of locks Required	ltem Number
Each GDM, TSD (2 door slide models)	1	872801
Each GDM-69, TSD-69	2	872801
Each TDBD, TSID (2 door models), TCGG	1	872801
Each TDBD, TSID (4 door models)	2	872801
Each TDBD, TSID (3 door models)	2	872801
Each TDBD, TSID (6 door models)	4	872801
Each TD-24-7/-LT, TD-36-12/-LT, T-24GC, T-36GC	1	872802
Each TD-65-24/-LT, TD-50-18/-LT, T-50GC	2	872802
Each TD-80-30, TD-95-38/-LT	3	872802

BARREL LOCKS - (FACTORY INSTALLED)

Shim Kit

### Description

Ratchet Lock Kit

GDM (one door models)

GDM, TSD (slide two door models)

Available <u>only</u> for one-door swing and slide two door refrigerators (not available for GDM-9). Not available for freezers or ice merchandisers.

#### Description

### TUC/TWT (per door)

Not available for freezers, drawers, glass doors or deep undercounter & worktop models (TUC/TWT-44, -60-32, -67, -93, -119) Requires one per door.



Barrel Locks



# PADLOCKS

Description	ltem Number
GDM (two swing door models)	831367

Available  $\underline{only}$  for standard hinged two-door swing models (not available for dual left or dual right hinged models).



**GDM** Padlock

# **BUN TRAY RACKS**

Description	Dimensions	Item Number
*Full Door T, TH, TS, TM	(20 <sup>7</sup> /8"L x 24"D x 51"H)	871729
**Half Door T, TH, TS, TM, TPP-44, 60, -67, -93, -119		
TUC/TWT-44, 60-32, -67, -93, -119	(20 <sup>7</sup> /8"L x 24"D x 22 <sup>1</sup> /2"H)	871728
T-35, 35F, 35G Full Door	(16"L x 24"D x 51"H)	874009
T-35, 35F, 35G Half Door	(16"L x 24"D x 22 <sup>1</sup> /2"H)	874010
Bun Tray Runners, accommodates	(18" x 26" sheet pan, std.) ea.	871754
Bun Tray Runners, accommodates	(extra wide for 12" x 20" pan) ea.	871755
Full door racks do not fit in half door models.		
Not designed for TSD or GDM models.		

\*\* Not available for T-12/-12F, T-19/-19F/-19FZ/-19G, T-35/-35F/-35G, TH-23G or T-23DT freezer section. \*\*\* Not available for T-12/-12F, T-19/-19F/-19FZ/-19G, T-35/-35F/-35G, TH-23G or T-23DT freezer section. TPP/deep TUC/TWT-60, 60-32 (left door).

Note: Full door racks come with 44 pan supports to hold 22 sheet pans. Maximum capacity is 32, 18" x 26" sheet pans.

Half door bun tray racks come with 22 pan supports to hold 11 pans. Maximum capacity is 13, 18" x 26" sheet pans.

Note: In T-Freezers purchased after February 1996 the backguards will have to be removed prior to installing bun tray racks.

----



Half Bun Tray Rack

# **STACKING COLLAR**

Description	ltem Number
TUC-27, 27F	872963
True's stacking collar provides a space-efficient freezer	
and refrigerator combination in a 27 <sup>1</sup> /2" x 30" footprint	

Stacking Collar

# CHOCOLATE THERMOSTAT (AVAILABLE FOR MOST MODELS)

Description	ltem Number
Chocolate Thermostat (50°F to 55°F)	831987 FI

# **RED WINE THERMOSTAT** (AVAILABLE FOR MOST MODELS)

Description	ltem Number
Red Wine Thermostat (50°F to 55°F)	831987 FI

# WHITE WINE THERMOSTAT (AVAILABLE FOR MOST MODELS)

Description	ltem Number
White Wine Thermostat (45°F to 50°F)	800385 FI

# MILK COOLER CORNER BUMPERS

Description		ltem Number
All milk cooler models	each	880158
All milk cooler models	set of 4	882506





Wine or Chocolate Thermostat



٦





Mirrored End



# **DISPLAY CASE MIRRORED ENDS**

Description	
Kits	
(kits include left and rig	int end panels)
TCGD Curved Glass, N	on Refrigerated "Dry" Display Cases
Field Installed	
Factory Installed	
TCGR Curved Glass, Re	efrigerated Display Cases
Field Installed	
Factory Installed	
TCGDZ Dual Zone Curve	ed Glass, Refrigerated/Dry Display Cases
Field Installed	
Factory Installed	
Individual end panels (indicate left or right en	d panel at time of order)
TCGD Curved Glass, N	on Refrigerated "Dry" Display Cases
Field Installed	
Factory Installed	
	efrigerated Display Cases
*	afrigerated Display Cases
TCGR Curved Glass, Re	efrigerated Display Cases
<b>TCGR Curved Glass, Re</b> Field Installed Factory Installed	efrigerated Display Cases ed Glass, Refrigerated/Dry Display Cases
<b>TCGR Curved Glass, Re</b> Field Installed Factory Installed	
TCGR Curved Glass, Re Field Installed Factory Installed TCGDZ Dual Zone Curve	ed Glass, Refrigerated/Dry Display Cases
TCGR Curved Glass, Re Field Installed Factory Installed TCGDZ Dual Zone Curve Field Installed	ed Glass, Refrigerated/Dry Display Cases (refrigerated left side)

note: Exterior laminate end panels available in walnut, teak, oak,


beige, black and white. Contact factory for item numbers.

# TCGD BAKERY CASE CORD SET (FACTORY INSTALLED)

Description

TCGD-31, TCGD-36, TCGD-50, TCGD-59, TCGD-77 Exterior scale receptacle (standard only on TCGD-50, TCGD-59 & TCGD-77) will not be included with this option.

12" cord set must be factory installed.





Two-Way Tapper Manifold

Three-Way Tapper Manifold



TCGD Bakery Case Cord Set

# **DIRECT DRAW DRAFT ACCESSORIES**

873101
873116
873117
831233

\* Used when draft standard not required (covers hole on countertop).



# **BASIC OVERSHELF**

Description	Dimensions	ltem Number
TSSU/TUC/TWT-27	(25 <sup>1</sup> /8"L x 9"D x 14 <sup>3</sup> /8"H)	871793
TSSU/TUC/TWT-36	(34 <sup>1</sup> /16"L x 9"D x 14 <sup>3</sup> /8"H)	882701
TSSU/TUC/TWT-48	(46 <sup>1</sup> /16"L x 9"D x 14 <sup>3</sup> /8"H)	871794
TSSU/TUC/TWT-60**	(58 <sup>1</sup> /16"L x 9"D x 14 <sup>3</sup> /8"H)	871795

Made of heavy-gauge stainless steel.

\*\* Overshelf not available for TWT/TUC-60-32. note: Overshelf not available for dual sided models.

note: Height dimension from countertop to shelf top.



Basic Overshelf (TSSU/TUC/TWT)



Sandwich/Salad Service Shelf (TSSU/TUC/TWT)

# SANDWICH/SALAD SERVICE SHELF (TSSU/TUC/TWT)

Description	Dimensions	ltem Number
Sandwich/Salad Service Sh	elf (includes rivnut tool)	
TSSU/TUC/TWT-36	(36 <sup>5</sup> /8"L x 12"D x 14 <sup>1</sup> /4"H)	882702
TSSU/TUC/TWT-48	(48 <sup>5</sup> /8"L x 12"D x 14 <sup>1</sup> /4"H)	875305
TSSU/TUC/TWT-60* **	(60 <sup>5</sup> /8"L x 12"D x 14 <sup>1</sup> /4"H)	875309
TSSU/TUC/TWT-72	(72 <sup>5</sup> /8"L x 12"D x 14 <sup>1</sup> /4"H)	875310

Made of heavy-gauge stainless steel.

Sandwich/salad service shelf not available for Non Dual Sided Mega-Tops. \* Service shelf not available for TSSU-60-16 & TSSU-60-16-DS-ST.

\*\* Service shelf not available for TWT/TUC-60-32.

note: For use with dual sided, mega-top units, pan lids must be removed, lids will not hinge open.

note: Height dimension from countertop to shelf top.

# PIZZA PREP SERVICE SHELF

Description	Dimensions	ltem Number
Pizza Prep Service S	helf (includes rivnut tool)	
TPP-44	(44"L x 17 <sup>7</sup> /8"D x 18 <sup>1</sup> /8"H)	875351
TPP-60	(60 <sup>5</sup> /8"L x 17 <sup>7</sup> /8"D x 18 <sup>1</sup> /8"H)	881100
TPP-67	(67 <sup>5</sup> /8"L x 17 <sup>7</sup> /8"D x 18 <sup>1</sup> /8"H)	875352
TPP-93	(93 <sup>5</sup> /8"L x 17 <sup>7</sup> /8"D x 18 <sup>1</sup> /8"H)	875353

Made of heavy-gauge stainless steel.

note: Height dimension from countertop to shelf top.



Pizza Prep Service Shelf (TPP only)





Single Utility Shelf (TSSU/TPP/TUC/TWT)

# **DOUBLE UTILITY SHELF**

	<b>.</b>	ltem
Description	Dimensions	Number
Undercounter & Sandwich		
TUC/TSSU-27-8	(27 <sup>5</sup> /8"L x 12"D x 33"H)	883001
TSSU-27-12M-B/-C	(27 <sup>5</sup> /8"L x 12"D x 33"H)	883473
TUC/TSSU-36 & Mega	(36 <sup>3</sup> /8"L x 12"D x 33"H)	883002
TUC/TSSU-48 & Mega	(48 <sup>3</sup> /8"L x 12"D x 33"H)	883003
TUC/TSSU-60-8/-10		
/-12 & Mega	(60 <sup>3</sup> /8"L x 12"D x 33"H)	883004
TSSU-60-16	(60 <sup>3</sup> /8"L x 12"D x 33"H)	883408
TUC/TSSU-72-8/-10/		
-12/-16/-18 & Mega	(72 <sup>3</sup> /8"L x 12"D x 33"H)	883221
Pizza Prep Tables		
TPP-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 33"H)	884569
TPP-60	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884572
TPP-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884575
TPP-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884578
TPP-119	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884581
Worktops		
TWT-27	(27 <sup>5</sup> /8"L x 12"D x 33"H)	883474
TWT-36	(36 <sup>3</sup> /8"L x 12"D x 33"H)	883393
TWT-48	(48 <sup>3</sup> /8"L x 12"D x 33"H)	883394
TWT-60	(60 <sup>3</sup> /8"L x 12"D x 33"H)	883395
TWT-72	(72 <sup>3</sup> /8"L x 12"D x 33"H)	883396
Deep Undercounters		
TUC-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 33"H)	884570
TUC-60-32	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884573
TUC-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884576
TUC-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884579
TUC-119	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884582
Deep Worktops		
TWT-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 33"H)	884571
TWT-60-32	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884574
TWT-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884577
TWT-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884580
TWT-119 Made of begins gauge staiples	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 33"H)	884583

Made of heavy-gauge stainless steel. note: Utility shelf not available for dual sided models. note: Height from countertop to top of first shelf 18", height from first shelf to top of second shelf 15".

# SINGLE UTILITY SHELF

		ltem
Description	Dimensions	Number
Undercounter & Sandwich	/Salad Units	
TUC/TSSU-27-8	(27 <sup>5</sup> /8"L x 12"D x 18"H)	883477
TSSU-27-12M-B/-C	(27 <sup>5</sup> /8"L x 12"D x 18"H)	883478
TUC/TSSU-36 & Mega	(36 <sup>3</sup> /8"L x 12"D x 18"H)	883479
TUC/TSSU-48 & Mega	(48 <sup>3</sup> /8"L x 12"D x 18"H)	883480
TUC/TSSU-60-8/-10		
/-12 & Mega	(60 <sup>3</sup> /8"L x 12"D x 18"H)	883481
TSSU-60-16	(60 <sup>3</sup> /8"L x 12"D x 18"H)	883482
TUC/TSSU-72-8/-10/		
-12/-16/-18 & Mega	(72 <sup>3</sup> /8"L x 12"D x 18"H)	884598
Pizza Prep Tables		
TPP-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 22 <sup>3</sup> /8"H)	883494
TPP-60	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 22 <sup>3</sup> /8"H)	883497
TPP-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 22 <sup>3</sup> /8"H)	883500
TPP-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 22 <sup>3</sup> /8"H)	883503
TPP-119	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 22 <sup>3</sup> /8"H)	883506
Worktops		
TWT-27	(27 <sup>5</sup> /8"L x 12"D x 18"H)	883483
TWT-36	(36 <sup>3</sup> /8"L x 12"D x 18"H)	883484
TWT-48	(48 <sup>3</sup> /8"L x 12"D x 18"H)	883485
TWT-60	(60 <sup>3</sup> /8"L x 12"D x 18"H)	883486
TWT-72	(72 <sup>3</sup> /8"L x 12"D x 18"H)	884599
Deep Undercounters		
TUC-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 19"H)	883495
TUC-60-32	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883498
TUC-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883501
TUC-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883504
TUC-119	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883507
Deep Worktops		
TWT-44	(44 <sup>1</sup> /2"L x 15 <sup>5</sup> /8"D x 19"H)	883496
TWT-60-32	(60 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883499
TWT-67	(67 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883502
TWT-93	(93 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883505
TWT-119	(119 <sup>1</sup> /4"L x 15 <sup>5</sup> /8"D x 19"H)	883508

Made of heavy-gauge stainless steel. note: Utility shelf not available for dual sided models. note: Height from countertop to top of shelf 18".



Double Utility Shelf (TSSU/TUC/TWT)



### CUTTING BOARDS FOR TSSU'S - WHITE POLYETHYLENE

Description	Dimensions	ltem Number
19" Cutting Boards* - 1/2"	Thick (requires "L" brackets)	
TSSU-27	(27 <sup>1</sup> /2"L x 19"D)	810843
TSSU-36	(36"L x 19"D)	812306
TSSU-48	(48"L x 19"D)	810839
TSSU-60	(60"L x 19"D)	812016
TSSU-72	(72"L x 19"D)	810838
19" Cutting Boards* - 3/4"	Thick (requires "L" brackets)	
TSSU-27	(27 <sup>1</sup> /2"L x 19"D)	810892
TSSU-48	(48"L x 19"D)	810893
TSSU-60	(60"L x 19"D)	810894
TSSU-72	(72"L x 19"D)	810895
"L" Brackets for 19" Cuttin	ng Board	
(set) w/out rivnut tool		874656
"L" Brackets for 19" Cuttin	ng Board	
(set) w/rivnut tool		881328
<b>Cutting Boards for Crumb</b>	Catchers (no special brackets re	equired)
TSSU-27	(27"L x 11 <sup>3</sup> /4"D)	810865
TSSU-36	(36"L x 11 <sup>3</sup> /4"D)	812320
TSSU-48	(48"L x 11 <sup>3</sup> /4"D)	810863
TSSU-60	(60"L x 11 <sup>3</sup> /4"D)	812012
TSSU-72	(72"L x 11 <sup>3</sup> /4"D)	810866
TSSU-27 Mega	(27"L x 8 <sup>7</sup> /8"D)	810867
TSSU-36 Mega	(36"L x 8 <sup>7</sup> /8"D)	812321
TSSU-48 Mega	(48"L x 8 <sup>7</sup> /8"D)	810864
TSSU-60 Mega	(60"L x 8 <sup>7</sup> /8"D)	810868
TSSU-72 Mega	(72"L x 8 <sup>7</sup> /8"D)	810869

\* 19" cutting boards not available for TSSU drawered, dual sided or mega top models.

CUTTING E	BOARDS FO	OR TPP'	S - White	POLYETHYLENE
-----------	-----------	---------	-----------	--------------

Description	Dimensions	ltem Number
19 <sup>1</sup> /2" Cutting Boards for TP	<b>'P's</b> - <sup>1</sup> /2" Thick (use existing b	rackets)
TPP-44	(44 <sup>1</sup> /4"L x 19 <sup>1</sup> /2"D)	810371
TPP-60	(60"L x 19 <sup>1</sup> /2"D)	812305
TPP-67	(67"L x 19 <sup>1</sup> /2"D)	810313
TPP-93	(93"L x 19 <sup>1</sup> /2"D)	810365
TPP-119	(119"L x 19 <sup>1</sup> /2"D)	812315



White, Polyethylene Cutting Board

True.

# CUTTING BOARDS FOR TUC'S & TWT'S - WHITE POLYETHYLENE

Description	Dimensions	ltem Number
Cutting Boards for TUC's &	<b>TWT's</b> - <sup>1</sup> /2" Thick (brackets re	equired)
TUC-27	(27 <sup>1</sup> /2"L x 30"D)	810851
TUC-36	(36"L x 30"D)	812322
TUC-44	(44 <sup>1</sup> /4"L x 32 <sup>1</sup> /8"D)	812324
TUC-48	(48"L x 30"D)	810852
TUC-60	(60"L x 30"D)	810853
TUC-60-32	(60"L x 32 <sup>1</sup> /8"D)	812326
TUC-67	(67"L x 32 <sup>1</sup> /8"D)	812312
TUC-72	(72"L x 30"D)	812345
TUC-93	(93 <sup>1</sup> /4"L x 32 <sup>1</sup> /8"D)	812311
TWT-27	(27 <sup>1</sup> /2"L x 28 <sup>1</sup> /4"D)	812307
TWT-36	(36"L x 28 <sup>1</sup> /4"D)	812323
TWT-44	(44 <sup>1</sup> /4"L x 30"D)	812325
TWT-48	(48"L x 28 <sup>1</sup> /4"D)	812308
TWT-60	(60"L x 28 <sup>1</sup> /4"D)	812309
TWT-60-32	(60"L x 30"D)	812327
TWT-67	(67"L x 30"D)	812313
TWT-72	(72"L x 28 <sup>1</sup> /4"D)	810849
TWT-93	(93 <sup>1</sup> /4"L x 30"D)	812314
"L" Brackets for TUC & TW	T Cutting Board	
(set) w/out rivnut tool		874659
"L" Brackets for TUC & TW	T Cutting Board	
(set) w/rivnut tool		881540



White, Polyethylene Cutting Boards



### CUTTING BOARDS FOR TUC'S & TWT'S - COMPOSITE

		ltem
Description	Dimensions	Number
Full Top Cutting Boards for	TUC's & TWT's - 1/2" Thick (br	ackets required)
TUC-27	(27 <sup>1</sup> /2"L x 30"D)	820627
TUC-36	(36"L x 30"D)	820629
TUC-44	(44 <sup>1</sup> /4"L x 32 <sup>1</sup> /8"D)	820631
TUC-48	(48"L x 30"D)	820607
TUC-60	(60"L x 30"D)	820635
TUC-60-32	(60"L x 32 <sup>1</sup> /8"D)	820637
TUC-67	(67"L x 32 <sup>1</sup> /8"D)	820639
TUC-72	(72"L x 30"D)	820644
TUC-93	(93 <sup>1</sup> /4"L x 32 <sup>1</sup> /8"D)	820642
TWT-27	(27 <sup>1</sup> /2"L x 28 <sup>1</sup> /4"D)	820628
TWT-36	(36"L x 28 <sup>1</sup> /4"D)	820630
TWT-44	(44 <sup>1</sup> /4"L x 30"D)	820632
TWT-48	(48"L x 28 <sup>1</sup> /4"D)	820634
TWT-60	(60"L x 28 <sup>1</sup> /4"D)	820636
TWT-60-32	(60"L x 30"D)	820638
TWT-67	(67"L x 30"D)	820640
TWT-72	(72"L x 28 <sup>1</sup> /4"D)	820641
TWT-93	(93 <sup>1</sup> /4"L x 30"D)	820643
"L" Brackets for TUC & TW	/T Cutting Board	
(set) w/out rivnut tool		874659
"L" Brackets for TUC & TW	/T Cutting Board	
(set) w/rivnut tool		881540

### CUTTING BOARDS FOR TSSU'S - COMPOSITE

Description	Dimensions	ltem Number			
87/8" Cutting Boards - 1/2" Thick for Mega Tops (no special brackets required)					
TSSU-27 Mega	(27 <sup>1</sup> /2"L x 8 <sup>7</sup> /8"D)	820615			
TSSU-36 Mega	(36"L x 8 <sup>7</sup> /8"D)	820616			
TSSU-48 Mega	(48"L x 8 <sup>7</sup> /8"D)	820617			
TSSU-60 Mega	(60"L x 8 <sup>7</sup> /8"D)	820618			
TSSU-72 Mega	(72"L x 8 <sup>7</sup> /8"D)	820608			
11 <sup>3</sup> /4" Cutting Boards - 1/2"	Thick (requires "L" brackets	for mega-tops)			
TSSU-27	(27 <sup>1</sup> /2"L x 11 <sup>3</sup> /4"D)	820609			
TSSU-36	(36"L x 11 <sup>3</sup> /4"D)	820612			
TSSU-48	(48"L x 11 <sup>3</sup> /4"D)	820610			
TSSU-60	(60"L x 11 <sup>3</sup> /4"D)	820613			
TSSU-72	(72"L x 11 <sup>3</sup> /4"D)	820614			
"L" Brackets for 113/4" TSSU Cutting Boards					
(set) w/out rivnut tool		874659			
"L" Brackets for 11 <sup>3</sup> /4" TSSU Cutting Boards					
(set) w/rivnut tool		881540			
19" Cutting Boards* - 1/2" T	hick (requires "L" brackets)				
TSSU-27	(27 <sup>1</sup> /2"L x 19"D)	820622			
TSSU-36	(36"L x 19"D)	820623			
TSSU-48	(48"L x 19"D)	820624			
TSSU-60	(60"L x 19"D)	820625			
TSSU-72	(72"L x 19"D)	820626			
"L" Brackets for 19" TSSU Cutting Boards					
(set) w/out rivnut tool		874656			
"L" Brackets for 19" TSSU	Cutting Boards				
(set) w/rivnut tool		881328			

\* 19" cutting boards not available for TSSU drawered, dual sided or mega top models.



Composite Cutting Boards

### CUTTING BOARDS FOR TPP'S - COMPOSITE

Description	Dimensions	ltem Number		
191/2" Cutting Boards for TPP's - 1/2" Thick (use existing brackets)				
TPP-44	(44 <sup>1</sup> /4"L x 19 <sup>1</sup> /2"D)	820619		
TPP-60	(60"L x 19 <sup>1</sup> /2"D)	820620		
TPP-67	(67"L x 19 <sup>1</sup> /2"D)	820606		
TPP-93	(93"L x 19 <sup>1</sup> /2"D)	820611		
TPP-119	(119"L x 19 <sup>1</sup> /2"D)	820621		



Composite Cutting Board



Specification Series Reach-In & Pass-Thru Models	Description	ltem Number			
Stainless Steel Rai	Stainless Steel Rail Skirt Kits				
Single Section Reach-In Rail Skirt Kit	<ul><li>(1) front skirt</li><li>(2) side skirts</li><li>(1) rear skirt</li></ul>	884641			
Single Section Pass-Thru Rail Skirt Kit	(2) front/rear skirt (2) side skirts	884642			
Two Section Reach-In Rail Skirt Kit	<ul><li>(1) front skirt</li><li>(2) side skirts</li><li>(1) rear skirt</li></ul>	884643			
Two Section Pass-Thru Rail Skirt Kit	(2) front/rear skirt (2) side skirts	884644			
Three Section Reach-In Rail Skirt Kit	(1) front skirt (2) side skirts (1) rear skirt	884645			
Three Section Pass-Thru Rail Skirt Kit	(2) front/rear skirt (2) side skirts	884646			
Individual Parts					
Single Section	(1) front skirt	906113			
Reach-In	(1) rear skirt	906114			
Single Section Pass-Thru	(1) front/rear skirt	906113			
Two Section	(1) front skirt	906115			
Reach-In	(1) rear skirt	906116			
Two Section Pass-Thru	(1) front/rear skirt	906115			
Three Section	(1) front skirt	906117			
Reach-In	(1) rear skirt	906118			
Three Section Pass-Thru	(1) front/rear skirt	906117			
All Models	(1) side skirt (right or left)	906119			

### STAINLESS STEEL RAIL SKIRT - SPEC. SERIES 0 10 0

note: Designed for cabinets with standard door orientation and legs.

# TAC CONDENSATE PUMP KIT

Description	ltem Number
TAC-48, TAC-48GS	884726
1/1 I I I I I	

Kit includes - one 1/18 hp pump, foam tape and 25 feet of 1/2" ID tube.



Pictured without back screen.





# TAC CONDENSATE HEATER PAN/BRACKETS KIT

(SILVER BACK SCREEN)

Description		ltem Number
TAC-30, TAC-30GS		885501
TAC-36		885507
TAC-48, TAC-48GS		911066
TAC-30, TAC-30GS	(factory installed)	885501-FI
TAC-36	(factory installed)	885507-FI
TAC-48, TAC-48GS	(factory installed)	911066-FI

Note: heater requires a separate 15 amp, 120v dedicated circuit to meet UL approval. Cannot be hard wired into cabinet in the factory or field.

Note: black back screen also available, contact factory.

TILE.



Specifications subject to change without notice.

All dimensions rounded up to the nearest 1/8".

Toll Free Number • 1-800-325-6152





### **ONE YEAR PARTS & LABOR WARRANTY**

TRUE warrants to the original purchaser of every new TRUE refrigerated unit, the cabinet and all parts thereof, to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by TRUE and upon proper installation and start-up in accordance with the instruction packet supplied with each TRUE unit. TRUE's obligation under this warranty is limited to a period of one (1) year from the date of original installation or 15 months after shipment date from TRUE, whichever occurs first.

Any part covered under this warranty that are determined by TRUE to have been defective within one (1) year of original installation or fifteen (15) months after shipment date from manufacturer, whichever occurs first, is limited to the repair or replacement, including labor charges, of defective parts or assemblies. The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by TRUE.

### ADDITIONAL FOUR YEAR COMPRESSOR WARRANTY

In addition to the one (1) year warranty stated above, TRUE warrants its hermetically and semi-hermetically sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of four (4) additional years from the date of original installation but not to exceed five (5) years and three (3) months after shipment from the manufacturer.

Compressors determined by TRUE to have been defective within this extended time period will, at TRUE's option, be either repaired or replaced with a compressor or compressor parts of similar design and capacity.

The four (4) year extended compressor warranty applies only to hermetically and semi-hermetically sealed parts of the compressor and does not apply to any other parts or components, including, but not limited to, cabinet, paint finish, temperature control, refrigerant, metering device, driers, motor starting equipment, fan assembly or any other electrical component, etcetera.

### 404A/134A COMPRESSOR WARRANTY

The four year compressor warranty detailed above will be voided if the following procedure is not carefully adhered to:

1. This system contains R404A or R134A refrigerant and polyol ester lubricant. The polyol ester lubricant has rapid moisture absorbing qualities. If long exposure to the ambient conditions occur, the lubricant must be removed and replaced with new. For oil amounts and specifications please call True technical service department (800-325-6152). Failure to comply with recommended lubricant specification will void the compressor warranty.

2. Drier replacement is very important and must be changed when a system is opened for servicing. A drier using XH-7 desiccant or an exact replacement solid core drier must be used. The new drier must also be the same capacity as the drier being replaced.

3. Micron level vacuums must be achieved to insure low moisture levels in the system. 500 microns or lower must be obtained.

### WARRANTY CLAIMS

All claims for labor or parts must be made directly through TRUE. All claims should include: model number of the unit, the serial number of the cabinet, proof of purchase, date of installation, and all pertinent information supporting the existence of the alleged defect.

In case of warranty compressor, the compressor model tag must be returned to TRUE along with above listed information. Any action or breach of these warranty provisions must be commenced within one (1) year after that cause of action has occurred.

### WHAT IS NOT COVERED BY THIS WARRANTY

TRUE's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

NO CONSEQUENTIAL DAMAGES. TRUE IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE CLAIMS WHETHER OR NOT ON ACCOUNT OF REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE. This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANTIES HEREIN MADE AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IMPROPER USAGE. TRUE ASSUMES NO LIABILITY FOR PARTS OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER DAMAGES RESULTING FROM IMPROPER USAGE OR INSTALLATION OR FAILURE TO CLEAN AND/OR MAINTAIN PRODUCT AS SET FORTH IN THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, ACTS OF GOD. TRUE is not responsible for the repair or replacement of any parts that TRUE determines have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS. TRUE IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE: THERE ARE NO OTHER WARRANTIES, EXPRESSED, IMPLIED OR STATUTORY, EXCEPT THE ONE (1) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL FOUR (4) YEAR COMPRESSOR WARRANTY AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

OUTSIDE U.S.: This warranty does not apply to, and TRUE is not responsible for, any warranty claims made on products sold or used outside the United States.

REMOTE CONDENSERS: True warrants the original purchaser of the remote cabinet one year parts and labor coverage for all cabinet parts thereof to be free from defects in material or workmanship, under normal and proper use and maintenance service, as specified by True. This warranty is limited to the cabinet only. True assumes no liability for remote condensing units.